

AACSR IEC 61089 -Type A2/S1B Conductor, 182.9mm², Fig



Specificații

Nume Conductor	Fig
Aria Secțională Conductor	182.9 mm ²
Aria Secțională Aliaj	N/A mm ²
Aria Secțională Fire Oțel	N/A mm ²
Aria Secțională Conductor	N/A mm ²
Număr Fire Aluminiu	18
Număr Fire Oțel	1
Diametru Fir Aluminiu	3.100 mm
Diametru Fir Oțel	3.100 mm
Diametru Conductor	17.51 mm
Greutate Aliaj	N/A kg/km
Greutate Oțel	N/A kg/km
Greutate Conductor	552 kg/km
Rezistență Nominală	60.9 kN
Clasa A Rezistență Nominală	N/A kN
Clasa B Rezistență Nominală	N/A kN
Rezistență DC @ 20°C	0.193 Ω/km
Capacitate Curent @75°C	311 A
Capacitate Curent @85°C	384 A

The above design is only a sample of the options available, for reference purposes only. Our policy of continuous improvement may result in a change of specifications without notice. If any discrepancies might be between the data sheet values and standards, we reserve the rights to make technical changes. Our company will not be held responsible, as all or any of pictures, drawings, weights and dimensions details or other elements in this document are only indicative and must not be considered contractual. Contact our sales team for other specifications or custom made products.